

10/586290

IAP6 Rec'd PCT/PTO 13 JUL 2006

PATENT

Practitioner's Docket No. U 016407-4**TRANSMITTAL LETTER TO THE U.S. DESIGNATED OFFICE (DO/US)--
ENTRY INTO THE U.S. NATIONAL STAGE UNDER CHAPTER I**

INTERNATIONAL APPLICATION NO.	INTERNATIONAL FILING DATE	PRIORITY DATE CLAIMED
PCT/NL2005/000021	14 JANUARY 2005	16 JANUARY 2004
TITLE OF INVENTION		
METHOD AND APPARATUS FOR EXAMINING THE INTERIOR MATERIAL OF AN OBJECT, SUCH AS A PIPELINE OR A HUMAN BODY FROM A SURFACE OF THE OBJECT USING ULTRASOUND		
APPLICANT(S)		
1. PÖRTZGEN, Niels		
2. GISOLF, Andries		

Mail Stop PCT
Commissioner for Patents
P. O. Box 1450
Alexandria, VA 22313-1450

Optional Customer No. Bar Code



00140

PATENT TRADEMARK OFFICE

ATTENTION: DO/US

PRELIMINARY AMENDMENT

Please amend the above identified application as follows:

CERTIFICATION UNDER 37 C.F.R. 1.8(a) and 1.10*

(When using Express Mail, the Express Mail label number is **mandatory**;
Express Mail certification is optional.)

I hereby certify that, on the date shown below, this correspondence is being:

MAILING


- ☒ deposited with the United States Postal Service in an envelope addressed to the Commissioner for Patents, P. O. Box 1450, Alexandria, VA 22313-1450.

37 C.F.R. 1.8(a)**37 C.F.R. 1.10***

- ☐ with sufficient postage as first class mail.
- ☒ as "Express Mail Post Office to Addressee"
Mailing Label No. **EV 815 585 098 US**
(mandatory)

TRANSMISSION

- ☐ transmitted by facsimile to the Patent and Trademark Office. to (703) 872-9306


Signature

Date: July 13, 2006GERALDINE MARTI

(type or print name of person certifying)

* Only the date of filing (§ 1.6) will be the date used in a patent term adjustment calculation, although the date on any certificate of mailing or transmission under § 1.8 continues to be taken into account in determining timeliness. See § 1.703(f). Consider "Express Mail Post Office to Addressee" (§ 1.10) or facsimile transmission (§ 1.6(d) for the reply to be accorded the earliest possible filing date for patent term adjustment calculations.